THE INSTITUTION
OF ELECTRICAL
ENGINEERS

IEE PROCEEDINGS

Science, Measurement and Technology

Vol. 141, 1994

Published by
The IEE, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

IEE Proceedings

Science, Measurement and Technology

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

Volume 141 1994 UK ISSN 1350–2344

HONORARY EDITORS

Dr. G.W. Chantry (*Information Technology Transfer Consultant*)
Dr. M.J. Cunningham (*University of Manchester*)

Pages in issues of *IEE Proc.-Sci. Meas. Technol.*, 1994

Pages	Issue No.	Date
1–80	1	January
81–152	2	March
153–232	3	May
233–316	4	July
317–428	5	September
429–556	6	November

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright, Designs and Patents Act 1988, Part 1, Section 38, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by The Copyright (Librarians and Archivists) (Copying of Copyright Material) Regulations 1989: SI 1989/1212, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $7.50 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0960–7641/94 $7.50 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge.

The telephone number of the IEE London office is 071 240 1871; telex: 261176 IEELDN G; facsimile: 071 240 77 35.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1994: The Institution of Electrical Engineers

Secretary of the IEE: J.C. Williams, PhD, FEng, FIEE
Managing Editor: Gill Wheeler; *Executive Editor:* Julia Hubble
Graphics Manager: Maurice Partridge

Typeset by: Santype International Limited, Salisbury, Wiltshire, United Kingdom
Printed by: Unwin Brothers Limited, Old Woking, Surrey, United Kingdom

Index

IEE Proceedings
Science, Measurement and Technology

Vol. 141, 1994

Author index

A

Abdel-Salam, M., and Al-Hamouz, Z. Novel finite-element analysis of space-charge modified fields p369
Abuelma'atti, M.T. Simple method for calculating Fourier coefficients of experimentally obtained waveforms p177
Ait-Sadi, R., Lowery, A.J., and Tuck, B. Two-dimensional temperature modelling of DH laser diodes using the transmission-line modelling (TLM) method p7
Akroune, M., Mouillet, A., Ille, J.L., and Dami, M.A. see Mouillet, A.
Al-Hamouz, Z., and Abdel-Salam, M. see Abdel-Salam, M.
Alexander, M.J., Salter, M.J., Gentle, D.G., and Holland, K.P. Advances in measurement methods and reduction of measurement uncertainties associated with antenna calibration p283
Allen, E.M., Jervis, B.W., Saatchi, M.R., Lacey, A., Roberts, T., Hudson, N.R., Oke, S., and Grimsley, M. see Jervis, B.W.
Allen, N.L., and Boutlendj, M. see Boutlendj, M.
Alston, D., Russell, P.C., Khandaker, I., Glavas, E., Smith, R.V., and Jones, G.R. see Russell, P.C.
Amoruso, V., and Lattarulo, F. Diakoptics for electrostatics p317
Amoruso, V., and Lattarulo, F. Lightning-originated tangential electric field across air–soil interfaces p65
Arnaut, L.R., and Davis, L.E. Absorption in a semi-infinite lossy medium over a range of widely varying parameters p31
Auckland, D.W., Smith, C.D., and Varlow, B.R. Application of ultrasound to the NDT of solid insulation p20
Austin, B.A. Present state of electromagnetic compatibility education and prospects for the future p259

B

Baker, J.G. Electromagnetic compatibility in Europe p238
Balsa, R., Taboada, J., Feijoo, S., and Hernandez, C. see Taboada, J.
Bate, G.J., Watson, D.B., and Watson, A.M. see Watson, D.B.
Belts, P.J. Self-calibratable voltage transformer with part-per-million accuracy p379
Bennett, J.C., Smith, F.C., and Chambers, B. see Smith, F.C.
Biçakçi, O., Erdoğan, E., and Büyükaksoy, A. see Erdoğan, E.
Bicknell, A., Smith, J.S., and Lucas, J. Arc voltage sensor for monitoring of penetration in TIG welds p513
Bodger, P.S., and Gaynor, P.T. see Gaynor, P.T.
Bond, A.E.J. UK implementation of the EMC Directive p234
Bond, L.J., and Lee, U.W. see Lee, U.W.
Bouissou, S., and Piriou, F. Comparison between two formulations in terms of potential for the coupling of magnetic and electric circuit equations p486
Boutlendj, M., and Allen, N.L. Dielectric strength of air insulation for coordination of minimum clearances of overhead lines: a review p449
Bouziane, A., Hartmann, G., Hidaka, K., Taplamacioglu, M.C., and Waters, R.T. Linear-geometry electric-field probe for DC corona measurements p111
Bouziane, A., Hidaka, K., Jones, J.E., Rowlands, A.R., Taplamacioglu, M.C., and Waters, R.T. Paraxial corona discharge. Part 1: Review, instrumentation and experiments p197
Bouziane, A., Hidaka, K., Jones, J.E., Rowlands, A.R., Taplamacioglu, M.C., and Waters, R.T. Paraxial corona discharge. Part 2: Simulation and analysis p205
Bromley, K. Electromagnetic compatibility of building cables p263
Bronzeado, H., and Yacamini, R. see Yacamini, R.
Büyükaksoy, A., Erdoğan, E., and Biçakçi, O. see Erdoğan, E.
Bullough, W.A., Hosseini-Sianaki, A., Tozer, R.C., Whittle, M., and Makin, J. see Hosseini-Sianaki, A.
Burns, R.W. Impact of technology on the defeat of the U-boat September 1939–May 1943 p343

C

Calderwood, J.H., and Mognaschi, E.R. Electric field created by a circumferential sinusoidal charge-density wave on the surface of a cylinder p400
Castilla, M., Gutiérrez, J., Montaño, J.C., and López, A. see Gutiérrez, J.
Chambers, B., Smith, F.C., and Bennett, J.C. see Smith, F.C.
Cheim, L.A.V., and Howe, A.F. Spectroscopic observation of high breaking capacity fuse arcs p123
Chou, C. Fourier coded-aperture imaging in nuclear medicine p179
Chou, C., Lu, S.-T., Wu, Y.-P., and King, H.-J. see Lu, S.-T.
Christopoulos, C., and Hui, S.Y.R. Improved TLM method for the solution of coupled circuit equations (correspondence) p79
Christopoulos, C., and Johns, D. see Johns, D.
Creyghton, Y.L.M., van Veldhuizen, E.M., and Rutgers, W.R. Diagnostic techniques for atmospheric streamer discharges p141

D

Dami, M.A., Mouillet, A., Ille, J.L., and Akroune, M. see Mouillet, A.
Davis, L.E., and Arnaut, L.R. see Arnaut, L.R.
Davis, L.E., and Wu, Z. see Wu, Z.
Dawson, J.F., and Porter, S.J. see Porter, S.J.
De Leo, R., and Schiavoni, A. FDTD evaluation of scattering by metallic objects in GTEM cells p287
Dillon, B.M., and Gibson, A.A.P. see Gibson, A.A.P.
Donoghue, B.J., Murgatroyd, P.N., and Pudney, C.D. see Murgatroyd, P.N.

E

Elayyan, H.S.B., Rickard, D.A., Haddad, A., and Waters, R.T. see Rickard, D.A.
Emsley, A.M., and Stevens, G.C. Review of chemical indicators of degradation of cellulosic electrical paper insulation in oil-filled transformers p324
Endean, V.G. New Electromagnetic thrust principle (correspondence) p80
Erdoğan, E., Büyükaksoy, A., and Biçakçi, O. Plane-wave diffraction by a two-part impedance strip p383

F

Farish, O., Sellars, A.G., and Hampton, B.F. see Sellars, A.G.
Feijoo, S., Taboada, J., Balsa, R., and Hernandez, C. see Taboada, J.
Freeston, I.L., Scaife, J.M., and Tozer, R.C. see Scaife, J.M.

G

Gaynor, P.T., and Bodger, P.S. Ionisation of dielectric spheroid membranes: a balloon model of electroporation of biological cells p190
Gentle, D.G., Alexander, M.J., Salter, M.J., and Holland, K.P. see Alexander, M.J.
Gibson, A.A.P., and Dillon, B.M. Variational solution of lumped element and distributed electrical circuits p423
Glavas, E., Russell, P.C., Khandaker, I., Alston, D., Smith, R.V., and Jones, G.R. see Russell, P.C.
Green, L.B. Electromagnetic compatibility of radio telecommunications equipment p244
Grey Morgan, C. Laser-induced plasmas and resonance ionisation spectroscopies p83
Grimsley, M., Jervis, B.W., Saatchi, M.R., Lacey, A., Roberts, T., Allen, E.M., Hudson, N.R., and Oke, S. see Jervis, B.W.
Gururaj, B.I., and Nagesh, V. see Nagesh, V.
Gutiérrez, J., Montaño, J.C., López, A., and Castilla, M. Effects of harmonic distortion of the supply voltage on the optimum performance of a thyristor controlled reactor-type compensator p15

H

Haddad, A., Rickard, D.A., Elayyan, H.S.B., and Waters, R.T. see Rickard, D.A.
Hampton, B.F., Sellars, A.G., and Farish, O. see Sellars, A.G.
Hartmann, G., Bouziane, A., Hidaka, K., Taplamacioglu, M.C., and Waters, R.T. see Bouziane, A.
Hartmann, W., and Lins, G. see Lins, G.
Henderson, I.A., McGhee, J., and Muhaisni, M. Al Multifrequency binary testing in measurement and control p1
Henry, M.O., McCarren, A.L., Ruskin, H.J., and McGuigan, K.G. see McCarren, A.L.
Hernandez, C., Taboada, J., Feijoo, S., and Balsa, R. see Taboada, J.
Hidaka, K., Bouziane, A., Hartmann, G., Taplamacioglu, M.C., and Waters, R.T. see Bouziane, A.
Hidaka, K., Bouziane, A., Jones, J.E., Rowlands, A.R., Taplamacioglu, M.C., and Waters, R.T. see Bouziane, A.
Hokaya, T., Nakano, T., Murooka, Y., Ichikawa, Y., and Sakai, H. see Nakano, T.
Holland, K.P., Alexander, M.J., Salter, M.J., and Gentle, D.G. see Alexander, M.J.
Holmes, R., Pilling, N.A., and Jones, G.R. see Pilling, N.A.
Hosseini-Sianaki, A., Bullough, W.A., Tozer, R.C., Whittle, M., and Makin, J. Experimental investigation into the electrical modelling of electro-rheological fluids in the shear mode p531
Howe, A.F., and Cheim, L.A.V. see Cheim, L.A.V.
Hudson, N.R., Jervis, B.W., Saatchi, M.R., Lacey, A., Roberts, T., Allen, E.M., Oke, S., and Grimsley, M. see Jervis, B.W.
Hui, S.Y.R., and Christopoulos, C. see Christopoulos, C.
Hui, S.Y.R., and Morrall, S. Generalised associated discrete circuit model for switching devices p57
Humphries, J., Petouris, A., Russell, P., Vourdas, A., and Jones, G.R. see Petouris, A.

I

Ichikawa, Y., Nakano, T., Hokaya, T., Murooka, Y., and Sakai, H. see Nakano, T.
Ikeda, M., Itoh, H., Takeyama, Y., Satoh, K., Nakao, Y., and Tagashira, H. see Itoh, H.
Ille, J.L., Mouillet, A., Akroune, M., and Dami, M.A. see Mouillet, A.
Itoh, H., Takeyama, Y., Ikeda, M., Satoh, K., Nakao, Y., and Tagashira, H. Spectroscopic and image intensified investigations of RF plasmas in H_2 and CH_4 mixtures p95

J

Jervis, B.W., Saatchi, M.R., Lacey, A., Roberts, T., Allen, E.M., Hudson, N.R., Oke, S., and Grimsley, M. Artificial neural network and spectrum analysis methods for detecting brain diseases from the CNV response in the electroencephalogram p432
Johns, D., and Christopoulos, C. New frequency-domain TLM method for the numerical solution of steady-state electromagnetic problems p310
Johnson, C.M., and Palmer, P.R. Current measurement using compensated coaxial shunts p471
Jones, G.R., Petouris, A., Humphries, J., Russell, P., and Vourdas, A. see Petouris, A.

Jones, G.R., Pilling, N.A., and Holmes, R. see Pilling, N.A.
Jones, G.R., Russell, P.C., Khandaker, I., Glavas, E., Alston, D., and Smith, R.V. see Russell, P.C.
Jones, G.R., Taylor, S., and Kholy, S.M. El see Taylor, S.
Jones, J.E., Bouziane, A., Hidaka, K., Rowlands, A.R., Taplamacioglu, M.C., and Waters, R.T. see Bouziane, A.
Jones, N.B., Sehmi, A.S., Wang, S.Q., and Loudon, G.H. see Sehmi, A.S.

K

Kawakami, T., Murooka, Y., Nakano, T., and Takahashi, Y. see Murooka, Y.
Kelly, R.G. Microway: a structured design exercise for teaching microprocessor applications p547
Khandaker, I., Russell, P.C., Glavas, E., Alston, D., Smith, R.V., and Jones, G.R. see Russell, P.C.
Kho, S.K., and Watson, D.B. see Watson, D.B.
Kholy, S.M. El, Taylor, S., and Jones, G.R. see Taylor, S.
King, H.-J., Lu, S.-T., Chou, C., and Wu, Y.-P. see Lu, S.-T.
Konefal, T., and Marvin, A.C. Prediction and measurement of EMC radiated immunity problems in interconnected digital electronic systems p464
Kriezis, E.E., Theodoulidis, T.P., and Panas, S.M. see Theodoulidis, T.P.

L

Lacey, A., Jervis, B.W., Saatchi, M.R., Roberts, T., Allen, E.M., Hudson, N.R., Oke, S., and Grimsley, M. see Jervis, B.W.
Lattarulo, F., and Amoruso, V. see Amoruso, V.
Lee, U.W., and Bond, L.J. Characterising the performance of a confocal acoustic microscope p48
Li, C., Ren, Z., and Razek, A. Complementarity between the energy results of *H* and *E* formulations in eddy-current problems p25
Lins, G., and Hartmann, W. Metal vapour densities in a pseudospark switch p148
López, A., Gutiérrez, J., Montaño, J.C., and Castilla, M. see Gutiérrez, J.
Loudon, G.H., Sehmi, A.S., Jones, N.B., and Wang, S.Q. see Sehmi, A.S.
Lowery, A.J., Ait-Sadi, R., and Tuck, B. see Ait-Sadi, R.
Lu, S.-T., Chou, C., Wu, Y.-P., and King, H.-J. Newton–Raphson method for accuracy enhancement of electro-optical targeting system p160
Lucas, J., Bicknell, A., and Smith, J.S. see Bicknell, A.
Lucas, J., White, R.A., and Smith, J.S. see White, R.A.

M

Maddocks, A.J. Advances in design for EMC p293
Makin, J., Hosseini-Sianaki, A., Bullough, W.A., Tozer, R.C., and Whittle, M. see Hosseini-Sianaki, A.
Mann, S.M., and Marvin, A.C. see Marvin, A.C.
Marvin, A.C. Recent developments in measurement techniques for use in screened rooms p273
Marvin, A.C., and Konefal, T. see Konefal, T.
Marvin, A.C., and Mann, S.M. Experimental study of the calibration of antenna-screened enclosure combinations for radiated emission measurements in the frequency range from 1 to 30 MHz p278
McCarren, A.L., Ruskin, H.J., McGuigan, K.G., and Henry, M.O. Piezo-spectroscopic data analysis: a PC tool p185
McGhee, J., Henderson, I.A., and Muhaisni, M. Al see Henderson, I.A.
McGuigan, K.G., McCarren, A.L., Ruskin, H.J., and Henry, M.O. see McCarren, A.L.
Mikropoulos, P.N., and Stassinopoulos, C.A. Influence of humidity on the breakdown mechanism of medium length rod-plane gaps stressed by positive impulse voltages p407
Milsom, R.F. Electromagnetic computer modelling for EMC (integral methods) p297
Mognaschi, E.R., and Calderwood, J.H. see Calderwood, J.H.
Montaño, J.C., Gutiérrez, J., López, A., and Castilla, M. see Gutiérrez, J.
Morrall, S., and Hui, S.Y.R. see Hui, S.Y.R.
Mouillet, A., Ille, J.L., Akroune, M., and Dami, M.A. Magnetic and loss characteristics of nonoriented silicon–iron under unconventional conditions p75
Muhaisni, M. Al, Henderson, I.A., and McGhee, J. see Henderson, I.A.
Murgatroyd, P.N., Pudney, C.D., and Donoghue, B.J. Reversal of bounds in some dual-bound resistance calculations p429
Murooka, Y., Nakano, T., Hokaya, T., Ichikawa, Y., and Sakai, H. see Nakano, T.
Murooka, Y., Nakano, T., Takahashi, Y., and Kawakami, T. Modified Pockels sensor for electric-field measurements p481

N

Nagesh, V., and Gururaj, B.I. Automatic detection and elimination of periodic pulse shaped interferences in partial discharge measurements p335
Nakano, T., Hokaya, T., Murooka, Y., Ichikawa, Y., and Sakai, H. Diagnostics of DC-pulse SiH_4 plasmas using laser-induced fluorescence and optical emission spectroscopy p89
Nakano, T., Murooka, Y., Takahashi, Y., and Kawakami, T. see Murooka, Y.
Nakao, Y., Itoh, H., Takeyama, Y., Ikeda, M., Satoh, K., and Tagashira, H. see Itoh, H.
Noble, I.E. Electromagnetic compatibility in the automotive environment p252
Nutsch, G., and Rother, W. Simple heat flux density probe for industrial plasmas p135

O

O'Kelly, D. Travelling wave excitation of nonlinear magnetic materials of significant conductivity p499
Oke, S., Jervis, B.W., Saatchi, M.R., Lacey, A., Roberts, T., Allen, E.M., Hudson, N.R., and Grimsley, M. see Jervis, B.W.
Olthoff, J.K., Van Brunt, R.J., Radovanov, S.B., and Rees, J.A. Use of an ion energy analyser-mass spectrometer to measure ion kinetic-energy distributions from RF discharges in argon–helium gas mixtures p105

P

Palmer, P.R., and Johnson, C.M. see Johnson, C.M.
Panas, S.M., Theodoulidis, T.P., and Kriezis, E.E. see Theodoulidis, T.P.
Pethig, R., and Talary, M.S. see Talary, M.S.
Petouris, A., Humphries, J., Russell, P., Vourdas, A., and Jones, G.R. Computer aided design for teaching modern optics to electronic engineering undergraduates p171
Pilling, N.A., Holmes, R., and Jones, G.R. Low-power optical current measurement system employing a hybrid transmitter p129
Piriou, F., and Bouissou, S. see Bouissou, S.
Porter, S.J., and Dawson, J.F. Electromagnetic modelling for EMC using finite methods p303
Pudney, C.D., Murgatroyd, P.N., and Donoghue, B.J. see Murgatroyd, P.N.

R

Radovanov, S.B., Olthoff, J.K., Van Brunt, R.J., and Rees, J.A. see Olthoff, J.K.
Razek, A., Li, C., and Ren, Z. see Li, C.
Rees, J.A., Olthoff, J.K., Van Brunt, R.J., and Radovanov, S.B. see Olthoff, J.K.
Ren, Z., Li, C., and Razek, A. see Li, C.
Rickard, D.A., Elayyan, H.S.B., Haddad, A., and Waters, R.T. Corona space charge development for combined alternating and direct voltage excitation p441
Ridler, N.M. New VHF impedance measuring instrument for UK national standard p71
Roberts, T., Jervis, B.W., Saatchi, M.R., Lacey, A., Allen, E.M., Hudson, N.R., Oke, S., and Grimsley, M. see Jervis, B.W.
Rother, W., and Nutsch, G. see Nutsch, G.
Rowlands, A.R., Bouziane, A., Hidaka, K., Jones, J.E., Taplamacioglu, M.C., and Waters, R.T. see Bouziane, A.
Ruskin, H.J., McCarren, A.L., McGuigan, K.G., and Henry, M.O. see McCarren, A.L.
Russell, P., Petouris, A., Humphries, J., Vourdas, A., and Jones, G.R. see Petouris, A.
Russell, P.C., Khandaker, I., Glavas, E., Alston, D., Smith, R.V., and Jones, G.R. Chromatic monitoring for the processing of materials with plasmas p99
Rustgi, A.K. Modelling of the glass microelectrode tip p391
Rutgers, W.R., Creyghton, Y.L.M., and van Veldhuizen, E.M. see Creyghton, Y.L.M.

S

Saatchi, M.R., Jervis, B.W., Lacey, A., Roberts, T., Allen, E.M., Hudson, N.R., Oke, S., and Grimsley, M. see Jervis, B.W.
Sakai, H., Nakano, T., Hokaya, T., Murooka, Y., and Ichikawa, Y. see Nakano, T.
Sali, S. Response of externally excited coaxial cables with wire braided shields p266
Salter, M.J., Alexander, M.J., Gentle, D.G., and Holland, K.P. see Alexander, M.J.
Satoh, K., Itoh, H., Takeyama, Y., Ikeda, M., Nakao, Y., and Tagashira, H. see Itoh, H.
Scaife, J.M., Tozer, R.C., and Freeston, I.L. Conductivity and permittivity images from an induced current electrical impedance tomography system p356
Schiavoni, A., and De Leo, R. see De Leo, R.
Sehmi, A.S., Jones, N.B., Wang, S.Q., and Loudon, G.H. Knowledge-based systems for neuroelectric signal processing p215
Sellars, A.G., Farish, O., and Hampton, B.F. Characterising the discharge development due to surface contamination in GIS using the UHF technique p118
Smith, C.D., Auckland, D.W., and Varlow, B.R. see Auckland, D.W.
Smith, F.C., Chambers, B., and Bennett, J.C. Methodology for accurate free-space characterisation of radar absorbing materials p538
Smith, J.S., Bicknell, A., and Lucas, J. see Bicknell, A.
Smith, J.S., White, R.A., and Lucas, J. see White, R.A.
Smith, R.V., Russell, P.C., Khandaker, I., Glavas, E., Alston, D., and Jones, G.R. see Russell, P.C.
Stacey, R., and Weight, J.P. Pulse-echo scattering in solids with nonuniform transducers p363
Stassinopoulos, C.A., and Mikropoulos, P.N. see Mikropoulos, P.N.
Stevens, G.C., and Emsley, A.M. see Emsley, A.M.
Storrs, R. Development of the generic standards p249
Sumiyoshitani, S. Study on Kerr electro-optic field measurement method for nonuniform three-dimensional electric field p418

T

Taboada, J., Feijoo, S., Balsa, R., and Hernandez, C. Explicit estimation of speech boundaries p153
Tagashira, H., Itoh, H., Takeyama, Y., Ikeda, M., Satoh, K., and Nakao, Y. see Itoh, H.
Takahashi, Y., Murooka, Y., Nakano, T., and Kawakami, T. see Murooka, Y.
Takeyama, Y., Itoh, H., Ikeda, M., Satoh, K., Nakao, Y., and Tagashira, H. see Itoh, H.
Talary, M.S., and Pethig, R. Optical technique for measuring the positive and negative dielectrophoretic behaviour of cells and colloidal suspensions p395
Taplamacioglu, M.C., Bouziane, A., Hartmann, G., Hidaka, K., and Waters, R.T. see Bouziane, A.
Taplamacioglu, M.C., Bouziane, A., Hidaka, K., Jones, J.E., Rowlands, A.R., and Waters, R.T. see Bouziane, A.
Taylor, S., Jones, G.R., and Kholy, S.M. El Relationship between circuit-breaker performance and nozzle blocking, contact evaporation and particle production p508
Theodoulidis, T.P., Panas, S.M., and Kriezis, E.E. Eddy current detection of crack orientation using elliptical excitation p41
Tozer, R.C., Hosseini-Sianaki, A., Bullough, W.A., Whittle, M., and Makin, J. see Hosseini-Sianaki, A.
Tozer, R.C., Scaife, J.M., and Freeston, I.L. see Scaife, J.M.
Tuck, B., Ait-Sadi, R., and Lowery, A.J. see Ait-Sadi, R.

V

Van Brunt, R.J., Olthoff, J.K., Radovanov, S.B., and Rees, J.A. see Olthoff, J.K.
van Veldhuizen, E.M., Creyghton, Y.L.M., and Rutgers, W.R. see Creyghton, Y.L.M.
Varlow, B.R., Auckland, D.W., and Smith, C.D. see Auckland, D.W.
Vourdas, A., Petouris, A., Humphries, J., Russell, P., and Jones, G.R. see Petouris, A.

W

Wang, S.Q., Sehmi, A.S., Jones, N.B., and Loudon, G.H. see Sehmi, A.S.
Waters, R.T., Bouziane, A., Hartmann, G., Hidaka, K., and Taplamacioglu, M.C. see Bouziane, A.
Waters, R.T., Bouziane, A., Hidaka, K., Jones, J.E., Rowlands, A.R., and Taplamacioglu, M.C. see Bouziane, A.
Waters, R.T., Rickard, D.A., Elayyan, H.S.B., and Haddad, A. see Rickard, D.A.
Watson, A.M., Watson, D.B., and Bate, G.J. see Watson, D.B.
Watson, A.M., and Watson, D.B. see Watson, D.B.
Watson, D.B., Watson, A.M., and Bate, G.J. Surface winding for moving small conducting particles p229
Watson, D.B., and Kho, S.K. Location of impact points in the impulse flashover of air from a pointed electrode p165
Watson, D.B., and Watson, A.M. Linear ball-bearing motor p224
Weight, J.P., and Stacey, R. see Stacey, R.

White, R.A., Smith, J.S., and Lucas, J. Vision-based gauge for online weld profile metrology p521
Whittle, M., Hosseini-Sianaki, A., Bullough, W.A., Tozer, R.C., and Makin, J. see Hosseini-Sianaki, A.
Wu, Y.-P., Lu, S.-T., Chou, C., and King, H.-J. see Lu, S.-T.
Wu, Z., and Davis, L.E. Automation-orientated techniques for quality-factor measurement of high-T_c superconducting resonators p527

Y

Yacamini, R., and Bronzeado, H. Transformer inrush calculations using a coupled electromagnetic model p491

Subject index

ACOUSTOELECTRIC EFFECTS

Characterising the performance of a confocal acoustic microscope. U.W. Lee and L.J. Bond p48

ANTENNAS

Electromagnetic compatibility in the automotive environment. I.E. Noble p252

ANTENNAS (THEORY)

Experimental study of the calibration of antenna-screened enclosure combinations for radiated emission measurements in the frequency range from 1 to 30 MHz. A.C. Marvin and S.M. Mann p278

ARCING

Arc voltage sensor for monitoring of penetration in TIG welds. A. Bicknell, J.S. Smith and J. Lucas p513
Characterising the discharge development due to surface contamination in GIS using the UHF technique. A.G. Sellars, O. Farish and B.F. Hampton p118
Diakoptics for electrostatics. V. Amoruso and F. Lattarulo p317
Paraxial corona discharge. Part 1: Review, instrumentation and experiments. A. Bouziane, K. Hidaka, J.E. Jones, A.R. Rowlands, M.C. Taplamacioglu and R.T. Waters p197
Paraxial corona discharge. Part 2: Simulation and analysis. A. Bouziane, K. Hidaka, J.E. Jones, A.R. Rowlands, M.C. Taplamacioglu and R.T. Waters p205
Spectroscopic observation of high breaking capacity fuse arcs. L.A.V. Cheim and A.F. Howe p123

BIOMEDICAL APPLICATIONS

Artificial neural network and spectrum analysis methods for detecting brain diseases from the CNV response in the electroencephalogram. B.W. Jervis, M.R. Saatchi, A. Lacey, T. Roberts, E.M. Allen, N.R. Hudson, S. Oke and M. Grimsley p432
Modelling of the glass microelectrode tip. A.K. Rustgi p391
Optical technique for measuring the positive and negative dielectrophoretic behaviour of cells and colloidal suspensions. M.S. Talary and R. Pethig p395

BREAKDOWN AND GAS DISCHARGES

Diagnostic techniques for atmospheric streamer discharges. Y.L.M. Creyghton, E.M. van Veldhuizen and W.R. Rutgers p141
Dielectric strength of air insulation for coordination of minimum clearances of overhead lines: a review. M. Boutlendj and N.L. Allen p449
Laser-induced plasmas and resonance ionisation spectroscopies. C. Grey Morgan p83
Linear-geometry electric-field probe for DC corona measurements. A. Bouziane, G. Hartmann, K. Hidaka, M.C. Taplamacioglu and R.T. Waters p111
Use of an ion energy analyser-mass spectrometer to measure ion kinetic-energy distributions from RF discharges in argon–helium gas mixtures. J.K. Olthoff, R.J. Van Brunt, S.B. Radovanov and J.A. Rees p105

CABLES AND OVERHEAD LINES

Dielectric strength of air insulation for coordination of minimum clearances of overhead lines: a review. M. Boutlendj and N.L. Allen p449
Electromagnetic compatibility of building cables. K. Bromley p263

CIRCUIT BREAKERS AND CIRCUIT BREAKING

Relationship between circuit-breaker performance and nozzle blocking, contact evaporation and particle production. S. Taylor, G.R. Jones and S.M. El Kholy p508

CIRCUIT THEORY AND DESIGN

Improved TLM method for the solution of coupled circuit equations (correspondence). C. Christopoulos and S.Y.R. Hui p79
Surface winding for moving small conducting particles. D.B. Watson, A.M. Watson and G.J. Bate p229
Variational solution of lumped element and distributed electrical circuits. A.A.P. Gibson and B.M. Dillon p423

COAXIAL CABLES

Response of externally excited coaxial cables with wire braided shields. S. Sali p266

CODES AND DECODING

Impact of technology on the defeat of the U-boat September 1939–May 1943. R.W. Burns p343

COMPUTER SIMULATION

Travelling wave excitation of nonlinear magnetic materials of significant conductivity. D. O'Kelly p499

COMPUTER-AIDED DESIGN

Computer aided design for teaching modern optics to electronic engineering undergraduates. A. Petouris, J. Humphries, P. Russell, A. Vourdas and G.R. Jones p171
Electromagnetic computer modelling for EMC (integral methods). R.F. Milsom

CONTROL EQUIPMENT AND APPLICATIONS

Arc voltage sensor for monitoring of penetration in TIG welds. A. Bicknell, J.S. Smith and J. Lucas p513

DESIGN

Advances in design for EMC. A.J. Maddocks p293

DIELECTRIC MATERIALS

Absorption in a semi-infinite lossy medium over a range of widely varying parameters. L.R. Arnaut and L.E. Davis p31
Location of impact points in the impulse flashover of air from a pointed electrode. D.B. Watson and S.K. Kho p165

DIODES

Two-dimensional temperature modelling of DH laser diodes using the transmission-line modelling (TLM) method. R. Ait-Sadi, A.J. Lowery and B. Tuck p7

EDDY CURRENTS

Complementarity between the energy results of H and E formulations in eddy-current problems. C. Li, Z. Ren and A. Razek p25
Eddy current detection of crack orientation using elliptical excitation. T.P. Theodoulidis, S.M. Panas and E.E. Kriezis p41

EDUCATION AND TRAINING

Microway: a structured design exercise for teaching microprocessor applications. R.G. Kelly p547
Multifrequency binary testing in measurement and control. I.A. Henderson, J. McGhee and M. Al Muhaisni p1
Present state of electromagnetic compatibility education and prospects for the future. B.A. Austin p259

ELECTRICAL MACHINES

Linear ball-bearing motor. D.B. Watson and A.M. Watson p224
Magnetic and loss characteristics of nonoriented silicon–iron under unconventional conditions. A. Mouillet, J.L. Ille, M. Akroune and M.A. Dami p75

ELECTROMAGNETIC COMPATIBILITY

Absorption in a semi-infinite lossy medium over a range of widely varying parameters. L.R. Arnaut and L.E. Davis p31
Advances in design for EMC. A.J. Maddocks p293
Advances in measurement methods and reduction of measurement uncertainties associated with antenna calibration. M.J. Alexander, M.J. Salter, D.G. Gentle and K.P. Holland p283
Development of the generic standards. R. Storrs p249
Electromagnetic compatibility in Europe. J.G. Baker p238
Electromagnetic compatibility in the automotive environment. I.E. Noble p252
Electromagnetic computer modelling for EMC (integral methods). R.F. Milsom p297
Electromagnetic modelling for EMC using finite methods. S.J. Porter and J.F. Dawson p303
Prediction and measurement of EMC radiated immunity problems in interconnected digital electronic systems. T. Konefal and A.C. Marvin p464
Present state of electromagnetic compatibility education and prospects for the future. B.A. Austin p259
UK implementation of the EMC Directive. A.E.J. Bond p234

ELECTROMAGNETIC THEORY

Comparison between two formulations in terms of potential for the coupling of magnetic and electric circuit equations. S. Bouissou and F. Piriou p486
Electric field created by a circumferential sinusoidal charge-density wave on the surface of a cylinder. J.H. Calderwood and E.R. Mognaschi p400
New Electromagnetic thrust principle (correspondence). V.G. Endean p80
Plane-wave diffraction by a two-part impedance strip. E. Erdoğan, A. Büyükaksoy and O. Biçakçi p383
Transformer inrush calculations using a coupled electromagnetic model. R. Yacamini and H. Bronzeado p491

ELECTRON DEVICES

FDTD evaluation of scattering by metallic objects in GTEM cells. R. De Leo and A. Schiavoni p287

HYSTERESIS

Travelling wave excitation of nonlinear magnetic materials of significant conductivity. D. O'Kelly p499

IMAGE PROCESSING

Conductivity and permittivity images from an induced current electrical impedance tomography system. J.M. Scaife, R.C. Tozer and I.L. Freeston p356
Fourier coded-aperture imaging in nuclear medicine. C. Chou p179

INDUCTION MOTORS

Electric field created by a circumferential sinusoidal charge-density wave on the surface of a cylinder. J.H. Calderwood and E.R. Mognaschi p400

INSTRUMENTATION AND MEASURING SCIENCE

Current measurement using compensated coaxial shunts. C.M. Johnson and P.R. Palmer p471
Influence of humidity on the breakdown mechanism of medium length rod-plane gaps stressed by positive impulse voltages. P.N. Mikropoulos and C.A. Stassinopoulos p407
Ionisation of dielectric spheroid membranes: a balloon model of electroporation of biological cells. P.T. Gaynor and P.S. Bodger p190
Low-power optical current measurement system employing a hybrid transmitter. N.A. Pilling, R. Holmes and G.R. Jones p129
Modified Pockels sensor for electric-field measurements. Y. Murooka, T. Nakano, Y. Takahashi and T. Kawakami p481

Multifrequency binary testing in measurement and control. I.A. Henderson, J. McGhee and M. Al Muhaisni p1
New VHF impedance measuring instrument for UK national standard. N.M. Ridler p71
Piezo-spectroscopic data analysis: a PC tool. A.L. McCarren, H.J. Ruskin, K.G. McGuigan and M.O. Henry p185
Self-calibratable voltage transformer with part-per-million accuracy. P.J. Belts p379

INSULATORS AND INSULATION

Application of ultrasound to the NDT of solid insulation. D.W. Auckland, C.D. Smith and B.R. Varlow p20
Automatic detection and elimination of periodic pulse shaped interferences in partial discharge measurements. V. Nagesh and B.I. Gururaj p335

LASERS

Metal vapour densities in a pseudospark switch. G. Lins and W. Hartmann p148
Two-dimensional temperature modelling of DH laser diodes using the transmission-line modelling (TLM) method. R. Ait-Sadi, A.J. Lowery and B. Tuck p7

LIGHTING

Dielectric strength of air insulation for coordination of minimum clearances of overhead lines: a review. M. Boutlendj and N.L. Allen p449

LIGHTNING AND LIGHTNING PROTECTION

Lightning-originated tangential electric field across air–soil interfaces. V. Amoruso and F. Lattarulo p65

LOAD AND VOLTAGE REGULATION

Corona space charge development for combined alternating and direct voltage excitation. D.A. Rickard, H.S.B. Elayyan, A. Haddad and R.T. Waters p441

MAGNETIC DEVICES AND PROPERTIES

Magnetic and loss characteristics of nonoriented silicon–iron under unconventional conditions. A. Mouillet, J.L. Ille, M. Akroune and M.A. Dami p75

MAGNETIC FIELDS

Travelling wave excitation of nonlinear magnetic materials of significant conductivity. D. O'Kelly p499

MATHEMATICAL TECHNIQUES

Newton–Raphson method for accuracy enhancement of electro-optical targeting system. S.-T. Lu, C. Chou, Y.-P. Wu and H.-J. King p160
Piezo-spectroscopic data analysis: a PC tool. A.L. McCarren, H.J. Ruskin, K.G. McGuigan and M.O. Henry p185
Reversal of bounds in some dual-bound resistance calculations. P.N. Murgatroyd, C.D. Pudney and B.J. Donoghue p429
Simple method for calculating Fourier coefficients of experimentally obtained waveforms. M.T. Abuelma'atti p177
Vision-based gauge for online weld profile metrology. R.A. White, J.S. Smith and J. Lucas p521

MICROPROCESSORS

Microway: a structured design exercise for teaching microprocessor applications. R.G. Kelly p547

MICROSCOPES

Characterising the performance of a confocal acoustic microscope. U.W. Lee and L.J. Bond p48

MICROWAVE MEASUREMENTS

Automation-orientated techniques for quality-factor measurement of high-T_c superconducting resonators. Z. Wu and L.E. Davis p527
Methodology for accurate free-space characterisation of radar absorbing materials. F.C. Smith, B. Chambers and J.C. Bennett p538

MONITORING

Chromatic monitoring for the processing of materials with plasmas. P.C. Russell, I. Khandaker, E. Glavas, D. Alston, R.V. Smith and G.R. Jones p99

NOISE AND INTERFERENCE

Development of the generic standards. R. Storrs p249
Recent developments in measurement techniques for use in screened rooms. A.C. Marvin p273

NONDESTRUCTIVE TESTING

Application of ultrasound to the NDT of solid insulation. D.W. Auckland, C.D. Smith and B.R. Varlow p20
Eddy current detection of crack orientation using elliptical excitation. T.P. Theodoulidis, S.M. Panas and E.E. Kriezis p41

NUMERICAL ANALYSIS

Comparison between two formulations in terms of potential for the coupling of magnetic and electric circuit equations. S. Bouissou and F. Piriou p486

OPTOELECTRONICS

Study on Kerr electro-optic field measurement method for nonuniform three-dimensional electric field. S. Sumiyoshitani p418

PLASMAS

Chromatic monitoring for the processing of materials with plasmas. P.C. Russell, I. Khandaker, E. Glavas, D. Alston, R.V. Smith and G.R. Jones p99
Diagnostics of DC-pulse SiH_4 plasmas using laser-induced fluorescence and optical emission spectroscopy. T. Nakano, T. Hokaya, Y. Murooka, Y. Ichikawa and H. Sakai p89
Laser-induced plasmas and resonance ionisation spectroscopies. C. Grey Morgan p83
Simple heat flux density probe for industrial plasmas. G. Nutsch and W. Rother p135
Spectroscopic and image intensified investigations of RF plasmas in H_2 and CH_4 mixtures. H. Itoh, Y. Takeyama, M. Ikeda, K. Satoh, Y. Nakao and H. Tagashira p95

POWER SYSTEMS AND PLANT

Transformer inrush calculations using a coupled electromagnetic model. R. Yacamini and H. Bronzeado p491

RADAR AND RADIONAVIGATION

Absorption in a semi-infinite lossy medium over a range of widely varying parameters. L.R. Arnaut and L.E. Davis p31
Methodology for accurate free-space characterisation of radar absorbing materials. F.C. Smith, B. Chambers and J.C. Bennett p538

RADIOCOMMUNICATION

Electromagnetic compatibility of radio telecommunications equipment. L.B. Green p244

SIGNAL PROCESSING

Artificial neural network and spectrum analysis methods for detecting brain diseases from the CNV response in the electroencephalogram. B.W. Jervis, M.R. Saatchi, A. Lacey, T. Roberts, E.M. Allen, N.R. Hudson, S. Oke and M. Grimsley p432
Knowledge-based systems for neuroelectric signal processing. A.S. Sehmi, N.B. Jones, S.Q. Wang and G.H. Loudon p215

SIMULATION

Electromagnetic modelling for EMC using finite methods. S.J. Porter and J.F. Dawson p303
Experimental investigation into the electrical modelling of electrorheological fluids in the shear mode. A. Hosseini-Sianaki, W.A. Bullough, R.C. Tozer, M. Whittle and J. Makin p531
Generalised associated discrete circuit model for switching devices. S.Y.R. Hui and S. Morrall p57
Two-dimensional temperature modelling of DH laser diodes using the transmission-line modelling (TLM) method. R. Ait-Sadi, A.J. Lowery and B. Tuck p7

SONICS AND ULTRASONICS

Application of ultrasound to the NDT of solid insulation. D.W. Auckland, C.D. Smith and B.R. Varlow p20

SPEECH SYNTHESIS

Explicit estimation of speech boundaries. J. Taboada, S. Feijoo, R. Balsa and C. Hernandez p153

STANDARDISATION AND STANDARDS

Development of the generic standards. R. Storrs p249
New VHF impedance measuring instrument for UK national standard. N.M. Ridler p71

SUPERCONDUCTIVITY

Automation-orientated techniques for quality-factor measurement of high-T_c superconducting resonators. Z. Wu and L.E. Davis p527

SWITCHES AND SWITCHING THEORY

Generalised associated discrete circuit model for switching devices. S.Y.R. Hui and S. Morrall p57

SYSTEM PROTECTION

Lightning-originated tangential electric field across air–soil interfaces. V. Amoruso and F. Lattarulo p65
Location of impact points in the impulse flashover of air from a pointed electrode. D.B. Watson and S.K. Kho p165

THYRISTORS

Effects of harmonic distortion of the supply voltage on the optimum performance of a thyristor controlled reactor-type compensator. J. Gutiérrez, J.C. Montaño, A. López and M. Castilla p15

TRANSDUCERS

Pulse-echo scattering in solids with nonuniform transducers. R. Stacey and J.P. Weight p363

TRANSFORMERS

Review of chemical indicators of degradation of cellulosic electrical paper insulation in oil-filled transformers. A.M. Emsley and G.C. Stevens p324
Self-calibratable voltage transformer with part-per-million accuracy. P.J. Belts p379

TRANSMISSION LINES

New frequency-domain TLM method for the numerical sol . n of steady-state electromagnetic problems. D. Johns and C. Christopoulo. p310
Novel finite-element analysis of space-charge modified fields. M. Abdel-Salam and Z. Al-Hamouz p369
Prediction and measurement of EMC radiated immunity problems in interconnected digital electronic systems. T. Konefal and A.C. Marvin p464

TRANSMITTERS

Low-power optical current measurement system employing a hybrid transmitter. N.A. Pilling, R. Holmes and G.R. Jones p129